

## CHANGE OF CORRESPONDENCE ADDRESS Application

Address to:  
Assistant Commissioner for Patents  
Washington, D.C. 20231

Application Number	09/889,600
Filing Date	12/14/01
First Named Inventor	Frischholz, Robert
Art Unit	22857
Examiner Name	White, Kimberly
Attorney Docket Number	BOE01 003

Please change the Correspondence Address for the above-identified application to:

☐

Customer Number

Type Customer Number here

Place Customer  
Number Bar Code  
Label here

OR

☒

Firm or  
Individual Name

Duane Morris LLP

Address

1667 K Street, N.W.

Address

Suite 700

City

Washington

State

D.C.

ZIP

20006

Country

Telephone

202-776-7800

Fax

202-776-7801

This form cannot be used to change the data associated with a Customer Number. To change the data associated with an existing Customer Number use "Request for Customer Number Data Change" (PTO/SB/124).

I am the :

☐

Applicant/Inventor.

☐

Assignee of record of the entire interest.

Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96).

☒

Attorney or Agent of record.

☐

Registered practitioner named in the application transmittal letter in an application without an executed oath or declaration. See 37 CFR 1.33(a)(1). Registration Number \_\_\_\_\_

Typed or Printed  
Name

Patrick D. McPherson, Esquire

Signature

Date

March 25, 2002

NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below\*.

☐

\*Total of \_\_\_\_\_ forms are submitted.

Burden Hour Statement: This form is estimated to take 3 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

RECEIVED

JUL 01 2002

Technology Center 2600